IDENTITY (As used on Label and List): ELITE WINDSHIELD WASHER -20° F

Section 1

Manufacturer's Name Emergency Telephone Number: Elite CHEMTREC: (800) 424-9300

Manufacturer's Address Telephone Number for Information

203 West Avenue (800) 457-4449

Ludlow, MA 01056 DOT Shipping Name Methanol (Methyl Alcohol)

Date Prepared April 22, 1999 DOT Hazardous Substance: RQ 5000/2270

Revision: No. 7 DOT Hazardous Guide. #28

Section 2: Hazardous Ingredients/Identity Information

HAZARDOUS COMPONENTS

SPECIFIC CHEMICAL IDENTITY: Methanol (Methyl Alcohol)

 UN #
 1230

 CAS NUMBER;
 67-56-1

 OSHA PEL
 200 ppm

 ACGIH TLV
 200 ppm

 % (OPTIONAL)
 38% to 39%

DOT CLASSIFICATION ORM-D, Consumer Commodity

NFPA Hazard Designation

Health 2 - Warning: May be harmful if inhaled or absorbed

Flammability 2 - Caution: Combustible liquid flash point of 100°F to 200°F

Reactivity 1 - Caution: May react if heated or mixed with water but not violently

Personnel Protection B - Safety Glasses, Gloves

Section 3: Physical/Chemical Characteristics

Boiling Point. 180°F Melting Point N/A

Vapor Pressure (mm Hg.) 125 mm Hg @ 25°C Evaporation Rate(Butyl Acetate≈1) .75

Vapor Density (AIR=1) 1 05 Appearance and Odor Pale blue liquid

Solubility in Water Completely Soluble

Solubility in Water Completely Soluble with alcohol specific Gravity (H20=1) .95 with alcohol fragrance.

Section 4: Fire and Explosion Hazard Data

Flash Point (Method Used) 101°F (Air)

Flammable Limits

LEL 6% UEL 36%

Extinguishing Media Dry chemical, CO₂, Water Spray, Alcohol Foam

Special Fire Fighting Procedures Use Water spray to cool containers

Unusual Fire and Explosion Hazards Flame is invisible in daylight

Section 5: Reactivity Data

Stability Product is stable Conditions to Avoid Excessive heat.

Materials to Avoid Strong exidizers, perchloric acids

Hazardous Decomposition

Byproducts Methanol, Carbon Monoxide, Formaldehyde may be released upon heating or in a

fire.

IDENTITY (As used on Label and List):

FLITE WINDSHIELD WASHER -200 F

Section 6: Health Hazard Data

Routes of Entry: Inhalation Yes Skin Yes Ingestion Yes

Health Hazards (Acute and Chronic) May cause blindness or be fatal if swallowed

Carcinogenicity: N/A

IARC Monographs OSHA Regulated

Signs and Symptoms of Exposures: Dizzlness, auphoria, nausea, visual impairment, respiratory failure, muscular

incoordination, parcosis,

Medical Conditions Generally

Aggravated by Exposure: N/A

Emergency and First Aid Procedures

If Swallowed:

Induce vomitting immediately by giving two glasses of water and sticking finger down throat. Have patient lie down and keep warm. Cover eyes to exclude light. Call a physician. Never give anything by mouth to an unconscious person. Once vomiting has occurred, give milk, water, or solution of sodium bicarbonate (1 heaping tsp./quart).

If Inhaled:

Remove to fresh air. Get medical attention immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

In Case of Eve Contact:

Flush with plenty of water for at least 15 minutes. Get medical attention immediately.

Contact with Skin:

Wash affected area with soap and water, apply skin lotion. If irritant persists, get medical attention

Section 7: Precautions for Safe Handling and Use

Steps to be Taken in Case Meterial is Released or Spilled:

Flush with pienty of water. Prevent entry into sewers, drains, or waterways.

Waste Disposal Method:

Dispose of in accordance with Federal, State and Local regulations.

Precautions to be Taken in Handling and Storing.

Keep away from heat, sparks and flame. Store in a vented area.

Other Precautions:

Avoid prolonged breathing of vapors.

IDENTITY (As used on Label and List):

ELITE WINDSHIELD WASHER -20° F

Section 8: Control Measures

Respiratory Protection:

Not required under normal conditions.

Ventilation:

Local Exhaust:

Maintain methanol vapors < 200 ppm

Mechanical (General): To maintain methanol vapors < 200 ppm

Protective Gloves, Rubber

Eve Protection: Advisable

Other Protective Clothing or Equipment: N/A

Work/Hygienic Practices:

Avoid prolonged and repeated contact with skin. Do not breath vapors.

Section 9: Additional Information

SARA TITLE III HAZARD CATEGORIES:

01/01/87 - 1%

DISCLAIMER:

As of the date of preparation of this document, the foregoing information is believed to be accurate and is provined in good faith to comply with applicable Federal and State law(s). However, no warranty or representation with respect to such information is intended or given.

It is the user's obligation to determine the conditions of safe use of this product. Each user should study this Material Safety Data Sheet to become aware of the product hazards. Additional resources may have to be consulted to insure safe handling, storage and use.